

Game Semantics: A Paraconsistent Approach

Can BAŞKENT

INRIA, Nancy

`can@canbaskent.net`

`www.canbaskent.net/logic`

February 13-17, 2014

Fifth World Congress of Paraconsistency, Kolkata



Outlook of the Talk

- ▶ Logic of Paradox and Game Semantics
- ▶ First-Degree Entailment and Game Semantics
- ▶ Relevant Logic and Game Semantics
- ▶ Belnap's Logic and Game Semantics

What is Hintikka's Game Theoretical Semantics? I

The *semantic verification game* is played by two players, traditionally called Abelard (after \forall) and Eloise (after \exists), and the rules are specified syntactically.

During the game, the given formula is broken into subformulas by the players step by step, and the game terminates when it reaches the propositional atoms.

If we end up with a propositional atom which is true in the model in question, then Eloise wins the game. Otherwise, Abelard wins.

What is Hintikka's Game Theoretical Semantics? II

We associate conjunction with Abelard, disjunction with Heloise. In negated formulas, players switch their roles. Abelard takes up Eloise's verifier role, and Eloise becomes the falsifier.

The major result of this approach states that Eloise has a winning strategy if and only if the given formula is true in the model.

What is Hintikka's Game Theoretical Semantics?

During the game, the given formula is broken into subformulas by the players **step by step**, and the game **terminates** when it reaches the propositional atoms.

If we end up with a propositional atom which is true in the model in question, then Eloise wins the game. **Otherwise**, Abelard wins. We associate **conjunction with Abelard**, **disjunction with Heloise**.

The major result of this approach states that Eloise has a winning strategy **if and only if** the given formula is true in the model.

Questions for Game Semantics?

Questions

- ▶ How can we give a game semantics for non-classical logics?
- ▶ What are the elements in the semantic games we need to alter to make room for non-classical logics?
- ▶ How do non-classical logics reflect on the game semantics?
- ▶ Do non-classical logics produce non-classical games?

Non-classical Games

We consider the following five non-classical / non-zero sum possibilities:

1. Abelard and Eloise both win.
2. Abelard and Eloise both lose.
3. Eloise wins, Abelard does not lose.
4. Abelard wins, Eloise does not lose.
5. There is a tie.

Non-classical Games

Some propositions can belong to both player: namely, both the proposition and its negation can be true.

Some propositions can belong to the neither: namely, neither the proposition nor its negation can be true.

Some propositions may not belong to one player without the negation belonging to the opponent: namely, the proposition can be true, but its negation may not be false.

Non-classical Games

In short, the game does not have to be a zero-sum game.

One's win may not imply the other's loss.

We can also focus on the games where players play simultaneously, as opposed to take their turns.

What about games that are not determined - the ones without a winner?

Logic of Paradox and GTS

Consider Priest's Logic of Paradox (LP) (Priest, 1979). LP introduces an additional truth value P , called *paradoxical*, that stands for both true and false.

	\neg
T	F
P	P
F	T

	\wedge	T	P	F
T	T	P	F	
P	P	P	F	
F	F	F	F	

	\vee	T	P	F
T	T	T	T	
P	T	P	P	
F	T	P	F	


Game Rules for LP

The introduction of the additional truth value P requires an additional player in the game, let us call him *Astrolabe* (after Abelard and Heloise's son).

Since we have three truth values in LP, we need three players that try to force the game to their win. If the game ends up in their truth set, then that player wins.

Game Theoretical Semantics for LP

Consider the conjunction. Take the formula $p \wedge q$ where p, q are P, F respectively.



Abelard makes a move, and as the falsifier, he chooses q which is false. This gives him a win. Interesting enough, Astrolabe also makes a move and, chooses p giving him a win. In this case both have a winning strategy. Moreover, the win for Abelard does not automatically entail that it is a loss for Astrolabe.

Game Rules for the stronger version

Denote it with GTS^{LP} .

p	whoever has p in their extension, wins
$\neg p$	whoever has $\neg p$ in their extension, wins
$F \wedge G$	Abelard and Astrolabe choose between F and G simultaneously
$F \vee G$	Eloise and Astrolabe choose between F and G simultaneously
$\neg(F \wedge G)$	Eloise and Astrolabe choose between $\neg F$ and $\neg G$ simultaneously
$\neg(F \vee G)$	Abelard and Astrolabe choose between $\neg F$ and $\neg G$ simultaneously

Correctness

Theorem

In GTS^{LP} verification game for φ ,

- ▶ Eloise has a winning strategy if φ is true
- ▶ Abelard has a winning strategy if φ is false
- ▶ Astrolabe has a winning strategy if φ is paradoxical

Correctness

Theorem

In a GTS^{LP} game for a formula φ in a LP model M ,

- ▶ If Eloise has a winning strategy, but Astrolabe does not, then φ is true (and only true) in M
- ▶ If Abelard has a winning strategy, but Astrolabe does not, then φ is false (and only false) in M
- ▶ If Astrolabe has a winning strategy, then φ is paradoxical in M


Weakening

For a biconditional correctness result, we need to introduce *priorities* in play to the game. For example:

Consider $p \vee q$ where p, q has truth values P, F respectively. So, $p \vee q$ has truth value P .

In this case, Eloise cannot force a win because neither p nor q has the truth value T .

On the other hand, Astrolabe has a winning strategy as the truth value of p is P when it is his turn to play. Thus, he chooses p yielding the truth value P for the given formula $p \vee q$.



First-Degree Entailment

Semantic evaluations are *functions* from formulas to truth values.

If we replace the valuation function with a valuation *relation*, we obtain *First-degree entailment* (FDE) which is due to Dunn (Dunn, 1976).

We use $\mathbf{r}1$ to denote the truth value of φ (which is 1 in this case).

Since, \mathbf{r} is a relation, we therefore allow $\mathbf{r}(\varphi) = \emptyset$ or $\mathbf{r}(\varphi) = \{0, 1\}$ for some formula φ, φ' .

Thus, FDE is a paraconsistent (inconsistency-tolerant) and paracomplete (incompleteness-tolerant) logic.

First-Degree Entailment

For formulas φ, ψ , we define \mathbf{r} as follows.

$\neg\varphi\mathbf{r}1$	<i>iff</i>	$\varphi\mathbf{r}0$
$\neg\varphi\mathbf{r}0$	<i>iff</i>	$\varphi\mathbf{r}1$
$(\varphi \wedge \psi)\mathbf{r}1$	<i>iff</i>	$\varphi\mathbf{r}1$ and $\psi\mathbf{r}1$
$(\varphi \wedge \psi)\mathbf{r}0$	<i>iff</i>	$\varphi\mathbf{r}0$ or $\psi\mathbf{r}0$
$(\varphi \vee \psi)\mathbf{r}1$	<i>iff</i>	$\varphi\mathbf{r}1$ or $\psi\mathbf{r}1$
$(\varphi \vee \psi)\mathbf{r}0$	<i>iff</i>	$\varphi\mathbf{r}0$ and $\psi\mathbf{r}0$

First-Degree Entailment and GTS

The truth values $\{0\}$, $\{1\}$ and $\{0, 1\}$ work exactly as the truth values F , T , P respectively in LP. In fact, LP can be obtained from FDE by introducing a restriction that no formula gets the truth value \emptyset .

Recall that for GTS^{LP} , we allowed parallel plays for selected players depending on the syntax of the formula: we associated conjunction with Abelard and Astrolabe, disjunction with Heloise and Astrolabe.

First-Degree Entailment and GTS

For FDE, the idea is to allow each player play at each node as FDE uses valuation relations as opposed to valuation functions.


Therefore, it is possible that both players (or none) may have a winning strategy.

Also, notice that allowing each player play at each node does not necessarily mean that they will always be able to make a move. It simply means, it is allowed for them to move simultaneously.

First-Degree Entailment and GTS: An Example

Consider two formulas with the following relational semantics:
 $\varphi_{\mathbf{r}0}$, $\varphi_{\mathbf{r}1}$ and $\psi_{\mathbf{r}1}$. In this case, we have $(\varphi \wedge \psi)_{\mathbf{r}1}$ and $(\varphi \wedge \psi)_{\mathbf{r}0}$.

We expect both Abelard and Heloise have winning strategies, and allow each player make a move at each node.



First-Degree Entailment and GTS: Game rules

p	whoever has p in their extension, wins
$\neg p$	whoever has $\neg p$ in their extension, wins
$\varphi \wedge \psi$	Abelard and Heloise choose between φ and ψ simultaneously
$\varphi \vee \psi$	Abelard and Heloise choose between φ and ψ simultaneously
$\neg(\varphi \wedge \psi)$	Abelard and Heloise choose between $\neg\varphi$ and $\neg\psi$ simultaneously
$\neg(\varphi \vee \psi)$	Abelard and Heloise choose between $\neg\varphi$ and $\neg\psi$ simultaneously

First-Degree Entailment and GTS: Correctness

Theorem

In a GTS^{FDE} verification game for a formula φ , we have the following:

- ▶ Heloise has a winning strategy if $\varphi \mathbf{r} 1$
- ▶ Abelard has a winning strategy if $\varphi \mathbf{r} 0$
- ▶ No player has a winning strategy if $\varphi \mathbf{r} \emptyset$

Routley's Relevant Logic

An interesting way to extend the relational semantics is to add possible worlds to the model. The idea is due to Routley and Routley (Routley & Routley, 1972).

A *Routley model* is a structure $(W, \#, \mathbf{r})$ where W is a set of possible worlds, $\#$ is a map from W to itself, and \mathbf{r} is a valuation from $W \times \mathbf{P}$ to $\{0, 1\}$ assigning truth to propositional variables at each world.

Let us now give the semantics for this system.

$$\mathbf{r}(w, \varphi \wedge \psi) = 1 \text{ iff } \mathbf{r}(w, \varphi) = 1 \text{ and } \mathbf{r}(w, \psi) = 1$$

$$\mathbf{r}(w, \varphi \vee \psi) = 1 \text{ iff } \mathbf{r}(w, \varphi) = 1 \text{ or } \mathbf{r}(w, \psi) = 1$$

$$\mathbf{r}(w, \neg\varphi) = 1 \text{ iff } \mathbf{r}(\#w, \varphi) = 1$$

Relevant Logic and GTS: rules

(w, p)	whoever has p in their extension, wins
$(w, \neg p)$	switch the roles, continue with $(\#w, p)$
$(w, \varphi \wedge \psi)$	Abelard chooses between (w, φ) and (w, ψ)
$(w, \varphi \vee \psi)$	Heloise chooses between (w, φ) and (w, ψ)
$(w, \neg(\varphi \wedge \psi))$	Heloise chooses between $(\#w, \neg\varphi)$ and $(\#w, \neg\psi)$
$(w, \neg(\varphi \vee \psi))$	Abelard chooses between $(\#w, \neg\varphi)$ and $(\#w, \neg\psi)$

Relevant Logic and GTS: Correctness

Theorem

For the evaluation games for a formula φ and a world w for Routleys' systems, we have the following:

1. Heloise has a winning strategy if $\varphi r1$.
2. Abelard has a winning strategy if $\varphi r0$.

Belnap's Four Valued Logic

Belnap's four valued logic introduces two additional truth values: The truth value P represents the over-valuation, and N represents the under-valuation.

	\neg		\wedge	T	P	N	F
T	F	T	T	T	P	N	F
P	P	P	P	P	P	F	F
N	N	N	N	N	F	N	F
F	T	F	F	F	F	F	F

\vee	T	P	N	F
T	T	T	T	T
P	T	P	T	P
N	T	T	N	N
F	T	P	N	F

Hereditary Condition

BL truth table looks rather *different*. For instance, $P \vee N$ yields T , and $P \wedge N$ yields F .

Definition

Let L be a n -valued logic where $n \geq 2$, $\{V_i\}_{i \leq n}$ the set of truth-values, and $\{C_j\}_{j \in J}$ be set of binary logical connectives for some index set J . Then, L is said to have the hereditary condition if for all $i, i' \leq n, j \in J$, $C_j(V_i, V_{i'})$ evaluates to either V_i or $V_{i'}$. In short, logical connectives cannot produce a truth value different than those of the input values. This definition can easily be extended to k -ary logical connectives.

Classical, intuitionistic logics, and LP, RR, FDE all possess the hereditary condition. BL does not have the hereditary condition.

Belnap's Logic and GTS I

GTS can be considered as a history-based choice algorithm - a choice among what is given.

The hereditary condition relates the earlier moves to current moves with a perfect history. In BL, this does not seem to be possible.

In other words, if a logic does not have the hereditary condition, then the players cannot make a choice that can transfer the wins and losses to the subformulas.

The cases $P \wedge N = F$ and $P \vee N = F$ exemplify this situation. For a conjunctively false formula, Abelard cannot always choose the false conjunct, as there may not be a false conjunct - yet the conjunction can still be false.

Belnap's Logic and GTS II

Therefore, BL introduces another anomaly to verification games: imperfect history. This aspect of verification games is most certainly very interesting and might suggest various interesting tweaks in verification games.

Nevertheless, for the time being, we leave it as an open problem to give a GTS for BL.

Conclusion

I consider this work as a first-step towards paraconsistent game theory.

Behavioral economics and the charming examples it provides constitute an interesting playground for the ideas we have developed.

GTS for non-classical logics can be used as a tool in mechanism design which relates algorithmic game theory to game semantics. Our observations in Belnap's logic illustrates this point.

Thanks for your attention!

Talk slides and the paper are available at

www.CanBaskent.net/Logic

References

DUNN, J. MICHAEL. 1976.

Intuitive Semantics for First-Degree Entailments and 'Coupled Trees'.

Philosophical Studies, 29(3), 149–168.

PRIEST, GRAHAM. 1979.

The Logic of Paradox.

Journal of Philosophical Logic, 8, 219–241.

ROUTLEY, R., & ROUTLEY, V. 1972.

The Semantics of First Degree Entailment.

Noûs, 6(4), 335–359.