

# Paraconsistent Dynamic Epistemic Logic

Can BAŞKENT

Department of Computer Science, University of Bath

can@canbaskent.net    canbaskent.net/logic

🐦 @topologically

April 14th, 2016

Department of Computer Science, University of São Paulo, Brazil



# Slogan: Paraconsistency for Dynamic Knowledge Updates!

**Paraconsistency helps us understand  
inconsistent knowledge updates  
and its dynamics.**

# Outlook of the Talk

- ▶ Public Announcement Logic with Topological Semantics
- ▶ Paraconsistent Public Announcement Logic with Topological Semantics
- ▶ Some Results


# Motivation

# Examples

- ▶ *Knowing an inconsistent theory* - developing a dynamic logic that can work with real life examples, scientific theories, large databases
- ▶ *Impossible worlds* - a not-so-well-studied dual of possible worlds can be used to describe variety of states in computer science
- ▶ *Knowing true paradoxes* - rational agent dealing with game theoretical paradoxes
- ▶ *Revising a knowledge base with inconsistencies* - removing the inconsistencies is not necessarily the only way

# Logical Motivations

- ▶ Describe a model with impossible worlds - worlds that satisfy contradictions
- ▶ Choose a semantical structure that can work both in classical, non-classical logics and dynamic logics
- ▶ Following the dynamic agenda in modal logic, use **transformations** as the primitives of the theory

 CB, *Public Announcements and Inconsistencies: For a Paraconsistent Topological Model*, in “Epistemology, Knowledge and the Impact of Interaction”, Ed.s: J. Redmond, O. P. Martins and A. N. Fernandez, Springer, forthcoming, 2016.

# Public Announcement Logic

# Topological Semantics for Modal Logic

Given a set  $S$ , a **topology**  $\sigma$  is a collection of subsets of  $S$  satisfying the following conditions.

- ▶ The empty set and  $S$  are in  $\sigma$ ,
- ▶ The collection  $\sigma$  is closed under finite intersections and arbitrary unions.

We call the tuple  $(S, \sigma)$  a **topological space**, and the members of  $\sigma$  as **open sets**.

Define  $M = (S, \sigma, \nu)$  as a **topological model** where  $(S, \sigma)$  is a topology and  $\nu$  is a valuation.

Define the **extension** of  $\varphi$  in  $M$ :

$$|\varphi|^M = \{s \in S : s, M \models \varphi\}.$$



# Topological Semantics for Modal Logic

In a topology, for a given set, we define the **interior** operator  $\text{Int}$  and the **closure** operator  $\text{Clo}$  as the operators which return the largest open set contained in the given set, and the smallest closed set containing the given set respectively.

The extensions of modal/epistemic formulas depend on such operators. We put  $|K\varphi| = \text{Int}(|\varphi|)$ .

$$w, M \models K\varphi \quad \text{iff} \quad \exists O \in \sigma. (w \in O \wedge \forall w' \in O, w', M \models \varphi)$$

Topological semantics is the oldest semantics for modal logic.

# Public Announcement Logic

In Public Announcement Logic, an external and truthful announcement is made.

Then, the agents update their models by eliminating the states which do *not* agree with the announcement.

# Public Announcements - a toy example

Ann, Bob and Cathy go to a cafe and order tea, coffee and lemonade, respectively. After a while another waiter brings the beverages. He asks who ordered the tea, Ann waives her hand. Then, he asks who ordered the coffee, and Bob says he did.

Finally, the waiter, *without asking*, gives the lemonade to Cathy.

# Topological Semantics for Public Announcements

For an announcement  $\varphi$ , define the **updated model**  $M'_\varphi = (S', \sigma', \nu')$ : Set  $S' = S \cap |\varphi|$ ,  $\sigma' = \{O \cap S' : O \in \sigma\}$ , and  $\nu' = \nu \cap S'$ .

The new topology  $\sigma'$ , which we obtained by relativizing  $\sigma$  is called the *induced topology*.

The language of topological PAL includes the epistemic modality  $K$  and the public announcement modality  $[\cdot]$ .

$$w, M \models [\varphi]\psi \quad \text{iff} \quad w, M \models \varphi \quad \text{implies} \quad w, M' \models \psi$$

# Topological Semantics for Public Announcements

The axiomatization of the topological PAL does not differ from the traditional PAL with Kripke semantics.

1. All the substitutional instances of the tautologies of the *classical* propositional logic
2.  $K(\varphi \rightarrow \psi) \rightarrow (K\varphi \rightarrow K\psi)$
3.  $K\varphi \rightarrow \varphi$
4.  $K\varphi \rightarrow KK\varphi$
5.  $\neg K\varphi \rightarrow K\neg K\varphi$
6.  $[\varphi]p \leftrightarrow (\varphi \rightarrow p)$
7.  $[\varphi]\neg\psi \leftrightarrow (\varphi \rightarrow \neg[\varphi]\psi)$
8.  $[\varphi](\psi \wedge \chi) \leftrightarrow ([\varphi]\psi \wedge [\varphi]\chi)$
9.  $[\varphi]K\psi \leftrightarrow (\varphi \rightarrow K[\varphi]\psi)$

# Topological Semantics for Public Announcements

The rules of deduction in topological PAL are as expected: normalization and modus ponens.

## Theorem

PAL in topological models is complete and decidable with respect to the given axiomatization.

# Paraconsistent Public Announcement Logic

# Topological Semantics for ParaPAL

- ▶ Topological semantics is versatile - it can carry over to *other* logics.
- ▶ Notice that the topological semantics for the classical (modal) logic does not impose any condition on the topological qualities on (the extensions of) propositional variables.

Stipulate that the extension of propositional variables are also closed sets (or dually, open sets).

Then, what about negation? - as the compliment of a closed set is not necessarily a closed set.



# Negation in Paraconsistency

Define a **new negation** as the “closure of the complement”.

In this case, boundary points, the points that are shared by the closure of a given set and the closure of its complement, are the points that satisfy the contradictions. Let us denote this paraconsistent negation by  $\neg$ .

# Negation in Paraconsistency

Take  $p \wedge \neg p$ , where  $|p| = U \in \sigma$  for a closed set topology  $\sigma$ .

Then  $|p \wedge \neg p|$  is  $U \cap \text{Clo}(\overline{U})$  which is  $\partial(U)$  where  $\partial(\cdot)$  is the boundary operator which is defined as  $\partial U := \text{Clo}(U) - \text{Int}(U)$ .

Therefore, the contradictions hold on the boundary points.

We now have a **paraconsistent logic** in which contradictions do not trivialize the system.

# Public Announcements

In PAL, an external and truthful announcement is made. Then, the agents update their models by eliminating the states which do *not* agree with the announcement.

In paraconsistent spaces, public announcements obtain a broader meaning. Namely, when  $\varphi$  is announced in a paraconsistent space, it simply means "Keep  $\varphi$ ". It can very well be the case that some of the possible worlds that satisfy  $\varphi$  may also satisfy  $\neg\varphi$  - those states may be impossible worlds.

The main problem caused by the inconsistencies is that they trivialize the theory and collapse the model. Therefore, if there exists some contradictions that do *not* trivialize the theory, there seems to be no need to eliminate them.



# ParaPAL Models

We obtain ParaPAL models in the exact same way.

Let  $M = (S, \sigma, \nu)$  be a topological model where  $(S, \sigma)$  is a closed set topology where every  $K \in \sigma$  is a closed set.

For an announcement  $\varphi$ , we obtain an *updated* model  $M'_\varphi = (S', \sigma', \nu')$  where  $S' = S \cap |\varphi|^M$ ,  $\sigma' = \{K \cap S' : K \in \sigma\}$ , and  $\nu' = \nu \cap S'$ .

We stipulate that the extension of each propositional variable is closed. The intention here is to impose that the extension of each *formula* must be a closed set as closedness is preserved with the logical connectives in this framework.

# ParaPAL Semantics

The semantics is as we described:

$$\begin{aligned}
 |\neg\varphi|^M &= \text{Clo}(S \setminus |\varphi|^M) \\
 w, M \models K\varphi &\text{ iff } \exists K \in \sigma. (w \in K \wedge \forall w' \in K : w', M \models \varphi) \\
 w, M \models [\varphi]\psi &\text{ iff } w, M \models \varphi \text{ implies } w, M' \models \psi
 \end{aligned}$$

# Quick Results

Call the non-dynamic segment of ParaPAL as *Paraconsistent Topological Logic* (PTL) - the system without the  $[\cdot]$  operator.

## Theorem

ParaPAL reduces to PTL by the following reduction axioms:

- ▶  $[\varphi]p \leftrightarrow (\varphi \rightarrow p)$
- ▶  $[\varphi]\neg\psi \leftrightarrow (\varphi \rightarrow \neg[\varphi]\psi)$
- ▶  $[\varphi]\psi \wedge [\varphi]\chi \leftrightarrow [\varphi]\psi \wedge [\varphi]\chi$
- ▶  $[\varphi]K\psi \leftrightarrow (\varphi \rightarrow K[\varphi]\psi)$

# Quick Results

## Remark

ParaPAL and PTL are equi-expressible.

Yet, when compared to the classical PAL, ParaPAL provides a more expressive framework as some contradictions can be true in some models.

## Remark

ParaPAL is more expressive than PAL.

In ParaPAL, we can have true statements such as  $[p]K(q \wedge \neg q)$ .

# Functional Representation

One of the advantages of using topological models is the fact that a variety of topological tools can be used within this framework to express a broad range of epistemic and model theoretical situations.

For an announcement  $\varphi$ , we say “ $\varphi$  is functionally representable in a topological model  $M = (S, \sigma, \nu)$ ” if there is an open and continuous function  $f : (S, \sigma) \mapsto (S', \sigma')$  where  $M = (S', \sigma', \nu)$  is the updated model.



# Functional Representation

## Theorem

Every public announcement is functionally representable.

But functional representation may not be one-to-one.

How can we generalize it?

# Homeomorphic Models

Given two models  $M = (S, \sigma, \nu)$  and  $M' = (S', \sigma', \nu')$ . We call  $M$  and  $M'$  *homeomorphic  $\varphi$ -models* if  $M'$  is the updated model of  $M$  with the public announcement  $\varphi$ , and there is a homeomorphism  $f$  from  $(S, \sigma)$  into  $(S', \sigma')$  that functionally represents  $\varphi$ .

Notice that homeomorphic model relation is not symmetric, but it is reflexive and transitive. Homeomorphic  $\varphi$ -models enjoy the same topological qualities after a specific public announcement (here,  $\varphi$ ).

# Homotopic Models

Let  $S$  and  $S'$  be two topological spaces with continuous functions  $f, f' : S \mapsto S'$ . A homotopy between  $f$  and  $f'$  is a continuous function  $H : S \times [0, 1] \mapsto S'$  such that for  $s \in S$ ,  $H(s, 0) = f(s)$  and  $H(s, 1) = f'(s)$ .

## Theorem

Given  $M$ , consider a family of updated homeomorphic models  $\{M_i\}_{i < \omega}$  each of which is obtained by an announcement  $\varphi_i$  representable by  $f_i$ . Then  $f_i$ s are homotopic.

# Conclusion

# Conclusion

- ▶ Topological semantics is rich. It provides a semantical framework for a wide variety of logics: intuitionistic, paraconsistent, classical, dynamic.
- ▶ Paraconsistency has a broad array of application in dynamic epistemology and multi-agent systems.

This paper combines these two attitudes.

# A Quick Bibliography

- ▶ Can Başkent, *Public Announcements and Inconsistencies: For a Paraconsistent Topological Model*, in "Epistemology, Knowledge and the Impact of Interaction", Ed.s: J. Redmond, O. P. Martins and A. N. Fernandez, Springer, forthcoming, 2016.
- ▶ Can Başkent, *Some Topological Properties of Paraconsistent Models*, Synthese, 2013, vol. 190, no. 18, pp. 4023-4040
- ▶ Can Başkent, *Public Announcement Logic in Geometric Frameworks*, Fundamenta Informaticae, 2012, vol. 118, no. 3, pp. 207-223

# Thanks for your attention!

Talk slides and the paper are available at  
[www.CanBaskent.net/Logic](http://www.CanBaskent.net/Logic)