Some Non-Classical Methods in (Epistemic) Modal Logic and Games: A Proposal

Can BAŞKENT

The Graduate Center of the City University of New York cbaskent@gc.cuny.edu www.canbaskent.net

Summer Solstice 2011

◆□▶ ◆□▶ ◆注▶ ◆注▶ 注 のへで

DEL			Strategies	
	000	000	00	
00		0000	00	
00				

Outlook of the Presentation

- Dynamic Epistemic Logic in Topological Semantics
- Paraconsistency in Topological Semantics
- > The Brandenburger Keisler Paradox and Paraconsistency
- A Dynamic Strategy Logic



DEL			Strategies		
•	000	000	00		
00		0000	00		
00					
Public Announcement Logic					

Introduction I

Public announcement logic is a well-known example of dynamic epistemic logics (Plaza, 1989; van Ditmarsch *et al.*, 2007). The contribution of public announcement logic (PAL, henceforth) to the field of knowledge representation is mostly due to its succinctness and clarity in reflecting the simple intuition as to how epistemic updates work in some situation. But, PAL is *not* more expressiveness than the basic epistemic logic. Public announcement logic has many applications in the fields of

Public announcement logic has many applications in the fields of formal approaches to social interaction, dynamic logics, knowledge representation and updates (Balbiani *et al.*, 2008; Baltag & Mos 2004; van Benthem, 2006; van Benthem *et al.*, 2005)

< ロ > < 同 > < 回 > < 回 >

CUNY

DEL			Strategies	
•				
00		0000	00	
Public Announcement Logic				

Introduction II

Virtually almost all applications of PAL make use of Kripke models for knowledge representation. However, as it is very well known, Kripke models are not the only representational tool for modal and epistemic logics.



DEL			Strategies	
	000	000	00	
•0		0000	00	
00				
Topological Se	mantics			

Topological Semantics for PAL I

The way PAL updates the epistemic states of the knower is by "state-elimination". A truthful announcement φ is made, and consequently, the agents updates their epistemic states by eliminating the possible states where φ is false (Balbiani *et al.*, 2007; Balbiani *et al.*, 2008; van Ditmarsch *et al.*, 2007). Kripkean semantics for PAL is well-known.

Let $\mathcal{T} = \langle \mathcal{T}, \tau, v \rangle$ be a topological model and φ be a public announcement. We now need to obtain the topological model \mathcal{T}_{φ} which is the updated model after the announcement. We denote the extension of a formula φ in model \mathcal{M} by $(\varphi)^{\mathcal{M}}$, so $(\varphi)^{\mathcal{M}} = \{w : \mathcal{M}, w \models \varphi\}.$

< ロ > < 同 > < 回 > < 回 >

CUNY

DEL			Strategies	
	000	000	00	
00		0000	00	
00				

Topological Semantics

Topological Semantics for PAL II

Define
$$\mathcal{T}_{\varphi} = \langle T_{\varphi}, \tau_{\varphi}, v_{\varphi} \rangle$$
 where $T_{\varphi} = T \cap (\varphi)$,
 $\tau_{\varphi} = \{ O \cap T_{\varphi} : O \in \tau \}$ and $v_{\varphi} = v \cap T_{\varphi}$.
Clearly, τ_{φ} is a topology.

Now, we can give a semantics for the public announcements in topological models.

$$\mathcal{T}, \pmb{s} \models [\varphi] \psi \text{ iff } \mathcal{T}, \pmb{s} \models \varphi \text{ implies } \mathcal{T}_{\varphi}, \pmb{s} \models \psi$$



C. Başkent

Non-Classicity in Logic and Games

DEL			Strategies		
	000	000	00		
•0		0000	00		
00					
Topological Semantics					

Topological Semantics for PAL III

Therefore, the reduction axioms for PAL in topological spaces are given as follows.

1.
$$[\varphi] p \leftrightarrow (\varphi \rightarrow p)$$

2.
$$[\varphi] \neg \psi \leftrightarrow (\varphi \rightarrow \neg [\varphi] \psi)$$

- 3. $[\varphi](\psi \wedge \chi) \leftrightarrow ([\varphi]\psi \wedge [\varphi]\chi)$
- 4. $[\varphi] \mathsf{I} \psi \leftrightarrow (\varphi \to \mathsf{I}[\varphi] \psi)$

Conjecture

PAL in topological spaces is complete with respect to the given semantics.



CUNY

<ロ> (日) (日) (日) (日) (日)

DEL			Strategies	
	000	000	00	
00		0000	00	
00				
Topological Se	mantics			

Topological Semantics for PAL - Multi-Agent I

Let $\mathcal{T} = \langle T, \tau \rangle$ and $\mathcal{T}' = \langle T', \tau' \rangle$ be two topological spaces. Let $X \subseteq T \times T'$. We call X horizontally open (*h-open*) if for any $(x, y) \in X$, there is a $U \in \tau$ such that $x \in U$, and $U \times \{y\} \subseteq X$. In a similar fashion, we call X vertically open (*v-open*) if or any $(x, y) \in X$, there is a $U' \in \tau'$ such that $y \in U'$, and $\{x\} \times U' \subseteq X$. Now, given two topological spaces $\mathcal{T} = \langle T, \tau \rangle$ and $\mathcal{T}' = \langle T', \tau' \rangle$, let us associate two modal operators I and I' respectively to these models. Then, we can obtain a product topology on a language with those two modalities. The product model will be of the form $\langle T \times T', \tau, \tau' \rangle$ on a language with two modalities I and I'.



CUNY

< ロ > < 同 > < 回 > < 回 >

DEL			Strategies	
	000	000	00	
00		0000	00	
00				
Topological Semi	antics			

Topological Semantics for PAL - Multi-Agent II

The semantics of those modalities are given as such.

 $(x, y) \models I\varphi$ iff $\exists U \in \tau, x \in U$ and $\forall u \in U, (u, y) \models \varphi$ $(x, y) \models I'\varphi$ iff $\exists U' \in \tau', y \in U'$ and $\forall u' \in U', (x, u') \models \varphi$ It has been shown that the fusion logic S4 \oplus S4 is complete with respect to products of arbitrary topological spaces (van Benthem & Sarenac, 2004).

The language of multi-agent topological PAL is as follows. We specify it for two-agents for simplicity, but it can easily be generalized to n-agents.

$$p \mid \neg \varphi \mid \varphi \land \varphi \mid \mathsf{K}_1 \varphi \mid \mathsf{K}_2 \varphi \mid [\varphi] \varphi$$



CUNY

C. Başkent

DEL			Strategies	
	000	000	00	
00		0000	00	
00				
Topological Se	mantics			

Topological Semantics for PAL - Multi-Agent III

For given two topological models $\mathcal{T} = \langle T, \tau, v \rangle$ and $\mathcal{T}' = \langle T', \tau', v \rangle$, the product topological model $M = \langle T \times T', \tau, \tau', v \rangle$ has the following semantics. $M, (x, y) \models K_1 \varphi$ iff $\exists U \in \tau, x \in U$ and $\forall u \in U, (u, y) \models \varphi$ $M, (x, y) \models K_2 \varphi$ iff $\exists U' \in \tau', y \in U'$ and $\forall u' \in U', (x, u') \models \varphi$ $M, (x, y) \models [\varphi] \psi$ iff $M, (x, y) \models \varphi$ implies $M_{\varphi}, (x, y) \models \psi$ where $M_{\varphi} = \langle T_{\varphi} \times T'_{\varphi}, \tau_{\varphi}, \tau'_{\varphi}, v_{\varphi} \rangle$ is the updated model. We define all $T_{\varphi}, T'_{\varphi}, \tau_{\varphi}, \tau'_{\varphi}$, and v_{φ} as before.

イロト イポト イヨト イヨト

CUNY

DEL			Strategies	
	000	000	00	
00		0000	00	
00				
Topological Ser	mantics			

Topological Semantics for PAL - Multi-Agent IV

Therefore, the following axioms axiomatize the product topological PAL together with the axioms of S4 \oplus S4.

1.
$$[\varphi] p \leftrightarrow (\varphi \rightarrow p)$$

2.
$$[\varphi] \neg \psi \leftrightarrow (\varphi \rightarrow \neg [\varphi] \psi)$$

- 3. $[\varphi](\psi \wedge \chi) \leftrightarrow ([\varphi]\psi \wedge [\varphi]\chi)$
- 4. $[\varphi] \mathsf{K}_i \psi \leftrightarrow (\varphi \to \mathsf{K}_i [\varphi] \psi)$

Conjecture

Product topological PAL is complete and decidable with respect to the given axiomatization.

< < >> < </p>

CUNY

DEL			Strategies	
	000	000	00	
00		0000	00	
0				

Applications

Announcement Stabilization I

Muddy Children presents an interesting case for PAL (Fagin *et al.*, 1995). In that game, the model gets updated after each children says that she does not know if she had mud on her forehead. The model keeps updated until the announcement is negated (van Benthem, 2007).



C. Başkent Non-Classicity in Logic and Games

DEL			Strategies	
	000	000	00	
00		0000	00	
0				
Applications				

Announcement Stabilization II



C. Başkent

Non-Classicity in Logic and Games

DEL			Strategies	
	000	000	00	
00		0000	00	
0				
Applications				

Announcement Stabilization III

For a model M and a formula φ , we define the announcement limit $\lim_{\varphi} M$ as the first model which is reached by successive announcements of φ that no longer changes after the last announcement is made. Announcement limits exist in both finite and infinite models (van Benthem & Gheerbrant, 2010). In topological models, the stabilization of the fixed-point definition¹ version of common knowledge may occur later than ordinal stage ω . However, it stabilizes in $\leq \omega$ steps in Kripke models (van Benthem & Sarenac, 2004).

DEL			Strategies	
	000	000	00	
00		0000	00	
00				
Applications				

Announcement Stabilization IV

Conjecture

For some formula φ and some topological model M, it may take more than ω stage to reach the limit model $\lim_{\varphi} M$.

¹Formula φ is common knowledge among two-agents 1 and 2 $C_{1,2}\varphi$ is represented with the (largest) fixed-point definition as follows: $C_{1,2}\varphi := \nu p.\varphi \wedge K_1 p \wedge K_2 p$ where K_i , for i = 1, 2 is the familiar knowledge operator (Barwise, 1988).

GRADUA

CUNY

DEL			Strategies	
	000	000	00	
00		0000	00	
00				
Applications				

Backward Induction I

Consider the backward induction solution where players trace back their moves to develop a winning strategy. Notice that the Aumann's backward induction solution assumes common knowledge of rationality (Aumann, 1995; Halpern, 2001) (Although according to Halpern, Stalnaker proved otherwise (Halpern, 2001; Stalnaker, 1998; Stalnaker, 1994; Stalnaker, 1996). Granted, there can be several philosophical and epistemic issues about the centipede game and its relationship with rationality, but we will pursue this direction here (Artemov, 2009a; Artemov, 2009b).

However, this issue can also be approached from a dynamic epistemic perspective.



CUNY

< < >> < </p>

DEL			Strategies	
	000	000	00	
00		0000	00	
00				
Applications				

Backward Induction II

Recently, it has been shown that in any game tree model M taken as a PAL model, $\lim_{rational} M$ is the actual subtree computed by the backward induction procedure where the proposition rational means that "at the current node, no player has chosen a strictly dominated move in the past coming here" (van Benthem & Gheerbrant, 2010). Therefore, the announcement of node-rationality produces the same result as the backward induction procedure.



DEL			Strategies	
	000	000	00	
00		0000	00	
00				
Applications				

Backward Induction III

However, there seems to be a problem in topological models. The admissibility of limit models can take more than ω steps in topological models as we have conjectured earlier. Therefore, the BI procedure can take ω steps or more.

Conjecture

In topological models of games, under the assumption of rationality, the backward induction procedure can take more than ω steps.



CUNY

< < >> < </p>

DEL	Paraconsistency		Strategies		
	000	000	00		
00		0000	00		
00		000000			
What is Paraconsistency?					

Basics

The well-studied notion of deductive explosion describes the situation where every formula can be deduced from an inconsistent set of formulae, i.e. for all φ and ψ , we have $\{\varphi, \neg \varphi\} \vdash \psi$, where \vdash denotes logical consequence relation. In this respect, both "classical" and intuitionistic logics are known to be explosive. Paraconsistent logic, on the other hand, is the umbrella term for logical systems where the logical consequence relation \vdash is not explosive (Priest, 2002).



CUNY

< ロ > < 同 > < 回 > < 回 >

DEL	Paraconsistency		Strategies		
	000	000	00		
00		0000	00		
00		000000			
What is Paraconsistency?					

Semantics I

We stipulate that extension of any propositional variable will be a closed set (Goodman, 1981; Mortensen, 2000). In that setting, conjunction and disjunction works fine for finite intersections and unions. Nevertheless, negation can be difficult as the complement of a closed set may not be a closed set, thus may not be the extension of a formula in the language. For this reason, we use the symbol \sim that returns the closed complement of a given set. We can make a similar observation about the boundary points $\partial(\cdot)$ in σ . Now, take $x \in \partial((\varphi))$ where (φ) is a closed set in topology σ . By the above definition, since we have $x \in \partial((\varphi))$, we obtain $x \in (\varphi)$ as (φ) is closed.

C. Baskent

< ロ > < 同 > < 回 > < 回 >

DEL	Paraconsistency		Strategies	
	000	000	00	
00		0000	00	
00				
What is Parac	onsistency?			

Semantics II

Yet, $\partial((\varphi))$ is also included in $(\sim \varphi)$ which we have defined as a closed set. Thus, by the same reasoning, we conclude $x \in (\sim \varphi)$. Thus, $x \in (\varphi \land \sim \varphi)$ yielding that $x \models \varphi \land \sim \varphi$. Therefore, in σ , any theory that includes the boundary points will be inconsistent. In this respect, the model $\langle S, \sigma, V \rangle$ with the negation symbol \sim will be called a paraconsistent topological model where V is a valuation function.



DEL	Paraconsistency		Strategies		
	000	000	00		
00		0000	00		
00					
What is Paraconsistency?					

Continuity I

A recent research program that considers topological modal logics with continuous functions were discussed in an early work of Artemov *et al.*, and later by Kremer and Mints (Artemov *et al.*, 1997; Kremer & Mints, 2005). In these aforementioned works, they associated continuous functions with temporal modal operator and discussed the orbits of such functions.

Take two closed set topologies σ and σ' on a given set S and a homeomorphism $f : \langle S, \sigma \rangle \rightarrow \langle S, \sigma' \rangle$. We have a simple way to associate the respective valuations between two models M and M' which respectively depend on σ and σ' so that we can have a truth preservation result. Therefore, define V'(p) = f(V(p)). Then, we have $M \models \varphi$ iff $M' \models \varphi$.

< ロ > < 同 > < 回 > < 回 >

CUNY

DEL	Paraconsistency		Strategies	
	000	000	00	
00		0000	00	
00				
What is Parac	onsistency?			

Continuity II

Conjecture

Let $M = \langle S, \sigma, V \rangle$ and $M' = \langle S, \sigma', V' \rangle$ be two paraconsistent topological models with a continuous f from $\langle S, \sigma \rangle$ to $\langle S, \sigma' \rangle$. Define V'(p) = f(V(p)). Then $M, w \models \varphi$ implies $M', w' \models \varphi$ for all φ where w' = f(w).

Conjecture

Let $M = \langle S, \sigma, V \rangle$ and $M' = \langle S, \sigma', V' \rangle$ be two paraconsistent topological models with an open f from $\langle S, \sigma \rangle$ to $\langle S, \sigma' \rangle$. Define V'(p) = f(V(p)). Then $M', w' \models \varphi$ implies $M, w \models \varphi$ for all φ where w' = f(w).

イロト イポト イヨト イヨト

CUNY

DEL	Paraconsistency		Strategies	
000	000	000	00	
00 Homotopies	0	000000	0	

Basics I

Let S and S' be two topological spaces with continuous functions $f, f': S \to S'$. A homotopy between f and f' is a continuous function $H: S \times [0,1] \to S'$ such that if $s \in S$, then H(s,0) = f(s) and H(s,1) = g(s). Given a model $M = \langle S, \sigma, V \rangle$, we call the family of models $\{M_t = \langle S_t \subseteq S, \sigma_t, V_t \rangle\}_{t \in [0,1]}$ generated by M and homotopic functions homotopic models. In the generation, we put $V_t = f_t(V)$.

< ロ > < 同 > < 回 > < 回 >

CUNY

DEL	Paraconsistency		Strategies	
	000	000	00	
00	•	0000	00	
00				
Homotopies				

Basics II

Conjecture

Given two topological paraconsistent models $M = \langle S, \sigma, V \rangle$ and $M' = \langle S', \sigma', V' \rangle$ with two continuous functions $f, f' : S \to S'$ both of which respect the valuation: V' = f(V) = f'(V). If there is a homotopy H between f and f', then M and M' satisfy the same modal formulae.

Therefore, we can "compare" different updates, and construct the connection between them.



DEL	Paraconsistency		Strategies	
	000	000	00	
00		0000	00	
00				
Applications				

An Epistemic Concept: Robust Knowledge/Belief I

Consider two believers Ann and Bob where Ann is an ordinary believer while Bob is a religious cleric of the religion that Ann is following. Therefore, they believe in the same religion and the same rules of the religion.

However, we feel that Bob believes it *more* than Ann even though they believe in exactly the same propositions. In other words, there is still a difference between their belief. Then, what is this difference?



DEL	Paraconsistency		Strategies	
	000	000	00	
00		0000	00	
00				
Applications				

An Epistemic Concept: Robust Knowledge/Belief II

The reason for this is the fact that the *extent* of Bob's knowledge is wider than that of Ann's.

In this context, we can ask the following two questions.

- 1. How much wider is Bob's belief?
- 2. How is Ann's belief transformed to Bob's?

These two questions are meaningful. Even if their language cannot tell us which one has wider knowledge, ontologically, we know that Bob has *more* knowledge in some sense even if they agree on every proposition. Clearly, the reason for that is the fact that Bob considers more possible worlds for a given proposition which makes his belief more robust than Ann's².

< ロ > < 同 > < 回 > < 回 >

CUNY

DEL	Paraconsistency		Strategies	
	000	000	00	
00		0000	00	
00				
Applications				

An Epistemic Concept: Robust Knowledge/Belief III

Let us set up a piece of notation first. By [w], we denote the set of accessible states from w, i.e. $[w]_R = \{v : wRv\}$.

Robust Knowledge

Given two agents *i* and *j*, and a state $w \in W$ in a model $M = \langle W, R_i, R_j, V \rangle$. Assume $M, w \models K_i \varphi$, and $M, w \models K_j \varphi$. We say *i*'s knowledge of φ more robust than *j*'s at *w* if $(\varphi)^M \cap [w]_{R_j} \subseteq (\varphi)^M \cap [w]_{R_i}$.



C. Başkent

Non-Classicity in Logic and Games

DEL	Paraconsistency		Strategies	
	000	000	00	
00		0000	00	
00				
Applications				

An Epistemic Concept: Robust Knowledge/Belief IV

From a dynamic epistemic angle, homeomorphisms and homotopies can explain this transformation from Ann's beliefs to Bob's belief with respect to their models.

The parameter mentioned in the definition of homotopies can easily be considered as a temporal parameter. It help us to give a step by step account of the transformation between Ann's and Bob's belief.



CUNY

²We borrowed the term "robust" from Artemov. $\langle \Box \rangle \langle \Box \rangle \langle \Box \rangle \langle \Box \rangle \langle \Box \rangle \rangle$

DEL		Paradox	Strategies	
	000	•••	00	
00		0000	00	
00		000000		
Statement				

The Paradox

The Brandenburg-Keisler paradox ('BK paradox', henceforth) is a two-person self-referential paradox in epistemic game theory (Brandenburger & Keisler, 2006). The following configuration of beliefs is impossible:

Paradox

Ann believes that Bob assumes that Ann believes that Bob's assumption is wrong.

The paradox appears if you ask whether "Ann believes that Bob's assumption is wrong".

Notice that this is essentially a 2-person Russell's Paradox.



CUNY

• • • • • • • • • • • • • •

DEL		Paradox	Strategies	
	000	000	00	
00		0000	00	
00	0	000000	0	
Statement				

Model I

Brandenburger and Keisler use belief sets to represent the players' beliefs.

The model (U^a, U^b, R^a, R^b) that they consider is called a *belief* structure where $R^a \subseteq U^a \times U^b$ and $R^b \subseteq U^b \times U^a$.

The expression $R^a(x, y)$ represents that in state x, Ann believes that the state y is possible for Bob, and similarly for $R^b(y, x)$. We will put $R^a(x) = \{y : R^a(x, y)\}$, and similarly for $R^b(y)$. At a state x, we say Ann believes $P \subseteq U^b$ if $R^a(x) \subseteq P$.



DEL		Paradox	Strategies	
	000	000	00	
00		0000	00	
00	0	000000	0	
Statement				

Model II

A modal logical semantics for the interactive belief structures can be given as well.

We use two modalities \Box and \heartsuit for the belief and assumption operators respectively with the following semantics.

$$\begin{array}{ll} x \models \Box^{ab}\varphi & \textit{iff} \quad \forall y \in U^b.R^a(x,y) \textit{ implies } y \models \varphi \\ x \models \heartsuit^{ab}\varphi & \textit{iff} \quad \forall y \in U^b.R^a(x,y) \textit{ iff } y \models \varphi \end{array}$$



• • • • • • • • • • • • • •

C. Başkent

DEL		Paradox	Strategies	
		000		
00		0000	00	
00	0	000000	0	
Statement				

Model III

A belief structure (U^a, U^b, R^a, R^b) is called *assumption complete* with respect to a set of predicates Π on U^a and U^b if for every predicate $P \in \Pi$ on U^b , there is a state $x \in U^a$ such that xassumes P, and for every predicate $Q \in \Pi$ on U^a , there is a state $y \in U^b$ such that y assumes Q. We will use special propositions \mathbf{U}^a and \mathbf{U}^b with the following meaning: $w \models \mathbf{U}^a$ if $w \in U^a$, and similarly for \mathbf{U}^b . Namely, \mathbf{U}^a is true at each state for player Ann, and \mathbf{U}^b for player Bob.



DEL		Paradox	Strategies	
	000	000	00	
00		0000	00	
00	0	000000	0	
Statement				

Model IV

Brandenburger and Keisler showed that no belief model is complete for its first-order language. Therefore, "not every description of belief can be represented" with belief structures (Brandenburger & Keisler, 2006).

The incompleteness of the belief structures is due to the *holes* in the model. A model, then, has a hole at φ if either $\mathbf{U}^b \wedge \varphi$ is satisfiable but $\heartsuit^{ab}\varphi$ is not, or $\mathbf{U}^a \wedge \varphi$ is satisfiable but $\heartsuit^{ba}\varphi$ is not. A big hole is then defined by using the belief modality \Box instead of the assumption modality \heartsuit .



CUNY

< ロ > < 同 > < 回 > < 回 >

DEL		Paradox	Strategies	
	000	000	00	
00		0000	00	
00				
Statement				

Two Lemmas I

In the original paper, the authors make use of two lemmas before identifying the holes in the system.

First, let us define a special propositional symbol $\boldsymbol{\mathsf{D}}$ with the following valuation

$$D = \{w \in W : (\forall z \in W) [P(w, z) \rightarrow \neg P(z, w)]\}.$$

Lemma

- 1. If $\heartsuit^{ab} \mathbf{U}^b$ is satisfiable, then $\square^{ab} \square^{ba} \square^{ab} \heartsuit^{ba} \mathbf{U}^a \to \mathbf{D}$ is valid.
- 2. $\neg \Box^{ab} \heartsuit^{ba} (\mathbf{U}^a \land \mathbf{D})$ is valid.



C. Başkent

DEL		Paradox	Strategies	
	000	000	00	
00		0000	00	
00				
Statement				

Two Lemmas II

Theorem (Modal Version)

There is either a hole at \mathbf{U}^{a} , a hole at \mathbf{U}^{b} , a big hole at one of the formulas

$$\heartsuit^{ba} \mathbf{U}^{a}, \qquad \Box^{ab} \heartsuit^{ba} \mathbf{U}^{a}, \qquad \Box^{ba} \Box^{ab} \heartsuit^{ba} \mathbf{U}^{a}$$

a hole at the formula $\mathbf{U}^a \wedge \mathbf{D}$, or a big hole at the formula $\heartsuit^{ba}(\mathbf{U}^a \wedge \mathbf{D})$. Thus, there is no complete interactive frame for the set of all modal formulas built from \mathbf{U}^a , \mathbf{U}^b , and \mathbf{D} .



CUNY

< < >> < </p>
DEL		Paradox	Strategies	
	000	000	00	
00		0000	00	
00				
Why Non-Wel	I Founded Set Theory?			

Concept I

Non-well-founded set theory is a theory of sets where the axiom of foundation is replaced by the *anti-foundation axiom* which is due to Mirimanoff (Mirimanoff, 1917). Then, decades later, it was formulated by Aczel within graph theory, and this motivates our approach here (Aczel, 1988). In non-well-founded (NWF, henceforth) set theory, we can have true statements such as ' $x \in x$ ', and such statements present interesting properties in game theory. NWF theories are natural candidates to represent circularity (Barwise & Moss, 1996).



CUNY

< ロ > < 同 > < 回 > < 回 >

DEL		Paradox	Strategies	
	000	000	00	
00		0000	00	
00				

Why Non-Well Founded Set Theory?

Games with Non-well-founded Type Spaces I

To the best of our knowledge, the idea of using non-well-founded sets as Harsanyi type spaces was first suggested by Lismont (Lismont, 1992), and extended later by Heifetz (Heifetz, 1996). Heifetz motivated his approach by "making the types an explicit part of the states' structure", and hence obtained a circularity that enabled him to use non-well-founded sets.

The way he motivated his approach, which is related to our perspective here, is by arguing that NWF type spaces can be used "once states of nature and types would be longer be associated with states of the world, but constitute *their very definition*." [ibid, (his emphasis)].

< ロ > < 同 > < 回 > < 回 >

CUNY

DEL		Paradox	Strategies	
	000	000	00	
00		0000	00	
00				
Why Non-Wel	Founded Set Theory?			

Games with Non-well-founded Type Spaces II

There can be argued, at this stage that circularity in a game theoretical model is not desirable. However, considering the fact that Harsanyi type spaces represent uncertainty, NWF models indeed become good candidates to formalize uncertainty. Here is



C. Başkent Non-Classicity in Logic and Games

DEL		Paradox	Strategies	
	000	000	00	
00		0000	00	
00				

Why Non-Well Founded Set Theory?

Games with Non-well-founded Type Spaces III

Heifetz on the very same issue.

Nevertheless, one may continue to argue that a state of the world should indeed be a circular, self-referantial object: A state represents a situation of human uncertainty, in which a player considers what other players may think in other situations, and in particular about what they may think there about the current situation. According to such a view, one would seek a formulation where states of the world are indeed self-referring mathematical entities. (Heifetz, 1996, p. 204).



CUNY

< < >> < </p>

DEL		Paradox	Strategies	
	000	000	00	
00		0000	00	
00				
Why Non-Wel	Founded Set Theory?			

Games with Non-well-founded Type Spaces IV

On the other hand, NWF set theory is not immune to the problems that the classical set theory suffers from.

For example, note that Russell's paradox is not solved in NWF setting, and moreover the subset relation stays the same in NWF theory (Moss, 2009).

Therefore, we may not expect the BK paradox to disappear in NWF setting. Yet, NWF set theory will give us many other tools in game theory.



• • • • • • • • • • • • • •

DEL		Paradox	Strategies	
	000	000	00	
00		0000	00	
00				
Why Non-Wel	Founded Set Theory?			

Definitions

What we call a non-well-founded model is a tuple M = (W, V) where W is a non-empty non-well-founded set (*hyperset*, for short), and V is a valuation. We will use the symbol \models^+ to represent the semantical consequence relation in a NWF model based on (Gerbrandy, 1999).

$$M, w \models^{+} \Box^{ij} \varphi \quad \text{iff} \quad M, w \models^{+} \mathbf{U}^{i} \land \\ \forall v \in w(M, v \models^{+} \mathbf{U}^{j} \to M, v \models^{+} \varphi) \\ M, w \models^{+} \heartsuit^{ij} \varphi \quad \text{iff} \quad M, w \models^{+} \mathbf{U}^{i} \land \\ \forall v \in w(M, v \models^{+} \mathbf{U}^{j} \leftrightarrow M, v \models^{+} \varphi) \end{cases}$$



CUNY

< < >> < </p>

C. Başkent

DEL		Paradox	Strategies	
	000	000	00	
00		0000	00	
00				
Why Non-Well	Founded Set Theory?			

Lemmas I

Define $D^+ = \{ w \in W : \forall v \in W. (v \in w \to w \notin v) \}$. We define the propositional variable D^+ as the propositional variable with the valuation set D^+ .

Conjecture

There exists a NWF belief structure in which if $\heartsuit^{ab} \mathbf{U}^{b}$ is satisfiable, then the formula $\square^{ab} \square^{ab} \square^{ab} \heartsuit^{ba} \mathbf{U}^{a} \land \neg \mathbf{D}^{+}$ is also satisfiable.

Conjecture

The formula $\Box^{ab} \heartsuit^{ba} (\mathbf{U}^a \land \mathbf{D}^+)$ is satisfiable in some NWF belief structures.

イロト イポト イヨト イヨト

CUNY

DEL		Paradox	Strategies		
	000	000	00		
00		0000	00		
00					
Why Non-Well Founded Set Theory?					

Lemmas II

Yet, we have to be careful here.

This argument does *not* establish that NWF belief models are complete. It establishes the fact that they do not have the same holes as the standard belief models. We will get back to this issue later on, and give an answer from category theoretical point of view.



DEL		Paradox	Strategies	
	000	000	00	
00		0000	00	
00		000000		
Paraconsistenc	y and Category Theoretical Touch			

Self-Reference I

Recently, a category theoretical approach has been presented (Abramsky & Zvesper, 2010).

They focus on the fixed points and extend their analysis to category theory.

Lawvere's Theorem says that if $g: X \to V^X$ is surjective, then every function $f: V \to V$ has a fixed point (Lawvere, 1969). BK paradox occurs if f plays the role of a Boolean negation. There is an important restriction:

 X should be cartesian closed (actually, should only admit exponents)

Usually people consider the category of sets Set.

CUNY

< ロ > < 同 > < 回 > < 回 >

DEL		Paradox	Strategies	
	000	000	00	
00		0000	00	
00		00000		
Paraconsistenc	y and Category Theoretical Touch			

Co-Heyting: definitions

Let *L* be a bounded distributive lattice. If there is defined a binary operation $\Rightarrow: L \times L \rightarrow L$ such that for all $x, y, z \in L$,

$$x \leq (y \Rightarrow z)$$
 iff $(x \land y) \leq z$,

then we call (L,\Rightarrow) a Heyting algebra. Dually, if we have a binary operation $\setminus : L \times L \rightarrow L$ such that

$$(y \setminus z) \leq x$$
 iff $y \leq (x \vee z)$,

then we call (L, \setminus) a co-Heyting algebra. We call \Rightarrow implication, \setminus subtraction.

・ロン ・回 と ・ ヨ と ・

DEL		Paradox	Strategies	
	000	000	00	
00		0000	00	
00		000000		
Paraconsistenc	y and Category Theoretical Touch			

Co-Heyting: definitions

In Boolean algebras, Heyting and co-Heying algebras give two different operations. We interpret $x \Rightarrow y$ as $\neg x \lor y$, and $x \setminus y$ as $x \land \neg y$.

In other words, a co-Heyting algebra is a generalization of a Boolean algebra that allows a generalization in which *principium contradictionis* is relaxed.

Closed set topologies are co-Heyting algebras. The topological paraconsistent negation \sim is defined as $\sim \varphi \equiv \mathbf{1} \setminus \varphi$ where $\mathbf{1}$ is the top element of the lattice.



CUNY

< ロ > < 同 > < 回 > < 回 >

DEL		Paradox	Strategies	
	000	000	00	
00		0000	00	
00		000000		
Paraconsistenc	v and Category Theoretical Touch			

Paraconsistent BK Paradox

Therefore, even if we have paraconsistent framework. we will have fixed points.

How:

- Take a co-Heyting algebra which is a natural candidate for paraconsistency.
- Observe that it admits exponents: $x^y \equiv x \land \neg y$.
- Thus, Lawvere's Theorem applies.
- It will still have fixed points: instead of the Boolean negation take co-Heyting negation as the unary operator.

< < >> < </p>

CUNY

DEL		Paradox	Strategies	
	000	000	00	
00		0000	00	
00		000000		
Paraconsistenc	v and Category Theoretical Touch			

Topological BK Paradox

Therefore, by following this idea, paraconsistent topological frameworks can be given. We claim that the BK sentence is satisfiable in some paraconsistent topological framework where we use topologies and topological products instead of accessibility relations.



DEL		Paradox	Strategies	
	000	000	00	
00		0000	00	
00		000000		
Paraconsistenc	y and Category Theoretical Touch			

NWF Categories

Category of hypersets is also CCC.

Thus, Lawvere theorem applies.

Therefore, we will have "different" fixed points, thus BK sentences in the NWF setting.



DEL			Strategies	
	000	000	•0	
00	0	000000	0	
Strategy Logic				

Motivation I

In game theory, *strategy* for a player is defined as "a set of rules that describe exactly how (...) [a] player should choose, depending on how the [other] players have chosen at earlier moves" (Hodkinson *et al.*, 2000). Nevertheless, this definition of strategies is static, and presumably is constructed *before* the game is actually played.

While people play games, they observe, learn, recollect and update their strategies *during* the game as well as adopting deontological strategies and goals before the game. Players update and revise their strategies, for instance, when their opponent makes an *unexpected* or *irrational* move.

CUNY

< ロ > < 同 > < 回 > < 回 >

C. Baskent

DEL			Strategies	
	000	000	•o	
00		0000	00	
00				
Strategy Logic				

Motivation II

For instance, assume that you play a video game by using a gamepad or a keyboard, and in the middle of the game, one of the buttons on the gamepad brakes. Hence, from that moment on, you will not be able to make some moves in the game that are controlled by that button on the gamepad. This is most certainly is not part of your strategy. Therefore, you will need to revise your strategy in such a way that some moves will be excluded from your strategy from then on. However, for your opponent, that is not the case as she can still make all the moves available to her.



CUNY

<ロ> (四) (同) (三) (三)

DEL			Strategies	
	000	000	00	
00		0000	00	
00				
Strategy Logic				

Strategy Logic I

Consider a game played between two players given by the set $N = \{1, 2\}$ and a single admissible set of moves Σ for both (Ramanujam & Simon, 2008a; Ramanujam & Simon, 2008b). Let $\mathbf{T} = (S, \Rightarrow, s_0)$ be a tree rooted at s_0 , on the set of vertices S. A partial function $\Rightarrow: S \times \Sigma \rightarrow S$ specifies the labeled edges of such a tree where labels represent the moves at the states. The extensive form game tree, then, is a pair $T = (\mathbf{T}, \lambda)$ where \mathbf{T} is a tree as defined before, and $\lambda: S \rightarrow N$ specifies whose turn it is at each state. A strategy μ^i for a player $i \in N$ is a function $\mu^i: S^i \rightarrow \Sigma$ where $S^i = \{s \in S : \lambda(s) = i\}$.



CUNY

< ロ > < 同 > < 回 > < 回 >

DEL			Strategies	
	000	000	00	
00		0000	00	
00				
Strategy Logic				

Strategy Logic II

For player *i* and strategy μ^i , the strategy tree $T_{\mu} = (S_{\mu}, \Rightarrow_{\mu}, s_0, \lambda_{\mu})$ is the least subtree of *T* satisfying the following two conditions:

- 1. $s_0 \in S_{\mu};$
- For any s ∈ S_μ, if λ(s) = i, then there exists a unique s' ∈ S_μ and action a such that s ⇒^a_μ s'. Otherwise, if λ(s) ≠ i, then for all s' with s ⇒^a s' for some a, we have s ⇒^a_μ s'.



CUNY

< ロ > < 同 > < 回 > < 回 >

DEL			Strategies	
	000	000	00	
00		0000	00	
00				
Strategy Logic				

Strategy Logic III

The most basic constructions in SL are the strategy specifications. First, for a given countable set X, a set of formulas BF(X) is defined as follows, for $a \in \Sigma$:

$$BF(X) := x \in X \mid \neg arphi \mid arphi \land arphi \mid \langle \mathsf{a}
angle arphi$$

Let P^i be a countable set of atomic observables for player *i*, with $P = P^1 \cup P^2$. The syntax of strategy specifications is given as follows for $\varphi \in BF(P^i)$:

$$Strat^{i}(P^{i}) := [\varphi \rightarrow a]^{i} \mid \sigma_{1} + \sigma_{2} \mid \sigma_{1} \cdot \sigma_{2}$$



CUNY

・ロッ ・同 ・ ・ ヨッ ・

C. Başkent

DEL			Strategies	
	000	000	0	
00		0000	00	
00				
Strategy Logic				

Strategy Logic IV

The specification $[\varphi \rightarrow a]^i$ at player *i*'s position stands for "play *a*" whenever φ holds". The specification $\sigma_1 + \sigma_2$ means that the strategy of the player conforms to the specification σ_1 or σ_2 and $\sigma_1 \cdot \sigma_2$ means that the strategy of the player conforms to the specifications σ_1 and σ_2 . By the abuse of the notation, we will use \leftrightarrow to denote the equivalence of specifications. Let M = (T, V) where $T = (S, \Rightarrow, s_0, \lambda)$ is an extensive form game tree as defined before, and V is a valuation function $(V: S \rightarrow 2^{P})$ for the set of propositional variables P. The truth of a formula $\varphi \in BF(P)$ is given as usual for the propositional, Boolean and modal formulas.



CUNY

< ロ > < 同 > < 回 > < 回 >

DEL			Strategies	
	000	000	00	
00		0000	00	
00				
Strategy Logic				

Strategy Logic V

The notion "strategy μ conforms to specification σ for player *i* at state *s*" (notation $\mu, s \models_i \sigma$) is defined as follows, where $\mathbf{out}_{\mu}(s)$ denotes the unique outgoing edge at *s* with respect to μ . $\mu, s \models_i [\varphi \rightarrow a]^i$ iff $M, s \models \varphi$ implies $\mathbf{out}_{\mu}(s) = a$ $\mu, s \models_i \sigma_1 + \sigma_2$ iff $\mu, s \models_i \sigma_1$ or $\mu, s \models_i \sigma_2$ $\mu, s \models_i \sigma_1 \cdot \sigma_2$ iff $\mu, s \models_i \sigma_1$ and $\mu, s \models_i \sigma_2$



C. Başkent

DEL			Strategies	
	000	000	00	
00	0	000000	0	
Strategy Logic				

Strategy Logic VI

Now, based on the strategy specifications, the syntax of the strategy logic SL is given as follows:

$$p \mid \neg \varphi \mid \varphi_1 \land \varphi_2 \mid \langle a \rangle \varphi \mid (\sigma)_i : a \mid \sigma \leadsto_i \psi$$

for propositional variable $p \in P$, action $a \in \Sigma$, strategy $\sigma \in Strat^i(P^i)$, and Boolean formula ψ over P^i . The intuitive reading of $(\sigma)_i$: a is that at the current state the strategy specification σ for player i suggests that the move a can be played. The intuitive meaning of $\sigma \rightsquigarrow_i \psi$ is that following strategy σ player i can ensure ψ . The other Boolean connectives and modalities a defined as usual.

< ロ > < 同 > < 回 > < 回 >

CUNY

C. Baskent

DEL			Strategies	
	000	000	00	
00		0000	00	
00				
Strategy Logic				

Strategy Logic VII

 $\begin{array}{ll} M, s \models \langle a \rangle \varphi & \text{iff} & \exists s \text{ such that } s \stackrel{a}{\Rightarrow} s' \text{ and } M, s' \models \varphi \\ M, s \models (\sigma)_i : a & \text{iff} & a \in \sigma(s) \\ M, s \models \sigma \rightsquigarrow_i \psi & \text{iff} & \forall s' \text{ such that } s \Rightarrow^*_{\sigma} s' \text{ in } T_s | \sigma, \\ & \text{we have } M, s' \models \psi \land (\textbf{turn}_i \rightarrow \textbf{enabled}_{\sigma}) \end{array}$

where $\sigma(s)$ denotes the set of the enabled moves at state s in strategy σ , and \Rightarrow_{σ}^* denotes the reflexive transitive closure of \Rightarrow_{σ} . SL has been given a rather complex axiomatization and rules of inferences. However, it is complete for its semantics (Ramanujam & Simon, 2008a; Ramanujam & Simon, 2008b). Yet, it was not known that if SL was decidable or not. Similarly, the complexity of the satisfiability problem was not known.

< ロ > < 同 > < 回 > < 回 >

CUNY

DEL			Strategies	
	000	000	00	
00		0000	00	
00				

Dynamic Strategies

Restricted Strategy Logic I

We denote the move restriction by $[\sigma!a]^i$ for a strategy specification σ and action a for player i. Informally, after the move restriction of σ by a, player i will not be able to make an a move. We incorporate restrictions to SL obtain Restricted Strategy Logic (RSL), and we incorporate these new dynamic operators at the level of strategy specifications.

In SL, recall that strategies are functions. Therefore, they only produce one move per state. However, our dynamic take in strategies cover more general cases where strategies can offer a *set* of moves to the player. Thus, in RSL, we define strategy μ^i as $\mu^i : S^i \to 2^{\Sigma}$. By **outr**_{μ^i}(*s*) we will denote the set of moves

CUNY

< ロ > < 同 > < 回 > < 回 >

DEL			Strategies	
	000	000	00	
00		0000	•••	
00				
Dynamic Strat	egies			

Restricted Strategy Logic II

returned by μ^i at *s*. Then, the extended syntax of strategy specifications for player *i* is given as follows.

$$Strat^{i}(P^{i}) := [\psi \rightarrow a]^{i} \mid \sigma + \sigma \mid \sigma \cdot \sigma \mid [\sigma!a]^{i}$$

Notice that the restrictions affect only the player who gets a move restriction. In other words, if *a* is prohibited to player *i*, it does not mean that some other player *j* cannot make an *a* move. Once a move is restricted at a state, we will prone the strategy tree removing the prohibited move from that state on. Therefore, given $\mu^i : S^i \to 2^{\Sigma}$, we define the updated strategy relation $\mu^i ! a : S^i \to 2^{\Sigma - \{a\}}$.

< ロ > < 同 > < 回 > < 回 >

CUNY

DEL			Strategies	
	000	000	00	
00		0000	•••	
00				
Dynamic Strat	egies			

Restricted Strategy Logic III

We are now ready to define confirmation of restricted specifications to strategies. Note that we skip the cases for \cdot and + as they are exactly the same.

 $\begin{array}{ll} \mu, s \models_i [\varphi \to a]^i & \text{iff} & M, s \models \varphi \text{ implies } a \in \text{outr}_{\mu}(s) \\ \mu^i, s \models_i [\sigma!a]^i & \text{iff} & a \notin \text{outr}_{\mu^i}(s) \text{ and } \mu!a, s \models_i \sigma \\ \mu!a \text{ is the updated strategy tree.} \end{array}$ where



DEL			Strategies	
	000	000	00	
00		0000	00	
00				
Dynamic Strate	egies			

RSL: Completeness and Complexity I

Here is the the syntax of RSL, which is the same as that of SL:

$$p \mid (\sigma)_i : a \mid \neg \varphi \mid \varphi_1 \land \varphi_2 \mid \langle a \rangle \varphi \mid \sigma \rightsquigarrow_i \psi$$

The semantics and the truth definitions of the formulas are defined as earlier with the exception of strategy specifications for restrictions. The axiom system of RSL consists of the axioms and rules of SL together with the following axioms for the added specification construct:

•
$$(\sigma!a)_i : c \leftrightarrow \mathbf{turn}_i \land \neg((\sigma)_i : a) \land (\sigma)_i : c$$

Theorem $(\sigma!a)_i: a \leftrightarrow \bot$



(日) (同) (三) (

C. Başkent

DEL			Strategies	
	000	000	00	
00		0000	00	
00				

Dynamic Strategies

RSL: Completeness and Complexity II

Conjecture

The axiom system of RSL is complete with respect to the given semantics.

Conjecture

The model checking problems for SL and RSL are in PSPACE.



C. Başkent

DEL			Strategies	
	000	000	00	
00		0000	00	
00			\bullet	
Thanks!				

Thanks for your attention!

Talk slides and the papers are available at:

www.CanBaskent.net



C. Başkent

DEL			Strategies	References
	000	000	00	
00		0000	00	
00				
Thanks!				

References I

ABRAMSKY, SAMSON, & ZVESPER, JONATHAN. 2010.

From Lawvere to Brandenburger-Keisler: Interactive forms of diagonalization and self-reference. CoRR, abs/1006.0992.

Aczel, Peter. 1988. Non-well-founded Sets. Vol. 14. CSLI Lecture Notes.

ARTEMOV, S., DAVOREN, J. M., & NERODE, A. 1997 (June). Modal Logics and Topological Semantics for Hybrid Systems. Tech. rept. Mathematical Sciences Institute, Cornell University.

ARTEMOV, SERGEI. 2009a.

Intelligent Players.

Tech. rept. Department of Computer Science, The Graduate Center, The City University of New York.

ARTEMOV, SERGEI. 2009b.

Rational Decisions in Non-probablistic Setting.

Tech. rept. TR-2009012. Department of Computer Science, The Graduate Center, The City University New York.



CUNY

イロト イポト イヨト イヨト

C. Başkent

DEL			Strategies	References
	000	000	00	
00		0000	00	
00				
Thanks!				

References II

Aumann, Robert J. 1995.

Backward Induction and Common Knowledge of Rationality. Games and Economic Behavior, 8(1), 6–19.

BALBIANI, PHILIPPE, BALTAG, ALEXANDRU, VAN DITMARSCH, HANS, HERZIG, ANDREAS, HOSHI, TOMOHIRO, & DE LIMA, TIAGO. 2007.

What Can We Achieve by Arbitrary Announcements? A Dynamic Take on Fitch's Knowability.

In: SAMET, DOV (ed), Proceedings of the 11th Conference on Theoretical Aspects of Rationality and Knowledge (TARK-2007).

BALBIANI, PHILIPPE, BALTAG, ALEXANDRU, VAN DITMARSCH, HANS, HERZIG, ANDREAS, & DE LIMA, TIAGO. 2008.

'Knowable' as 'known after an announcement'. *Review of Symbolic Logic*, **1**(3), 305–334.

BALTAG, ALEXANDRU, & MOSS, LAWRENCE S. 2004. Logics for Epistemic Programs. Synthese, 139(2), 165–224.

BARWISE, JON. 1988.

Three Views of Common Knowledge.

Pages 365–379 of: PUBLISHERS, MORGAN KAUFMANN (ed), Proceedings of the 2nd conference on Theoretical aspects of reasoning about knowledge.



CUNY

< < >> < </p>

C. Başkent

DEL			Strategies	References
	000	000	00	
00		0000	00	
00				
Thanks!				

References III

BARWISE, JON, & MOSS, LAWRENCE S. 1996. Vicious Circles. Center for Study of Language and Information.

BRANDENBURGER, ADAM, & KEISLER, H. JEROME. 2006. An Impossibility Theorem on Beliefs in Games. Studia Logica, 84, 211–240.

FAGIN, RONALD, HALPERN, JOSEPH Y., MOSES, YORAM, & VARDI, MOSHE Y. 1995. Reasoning About Knowledge. MIT Press.

GERBRANDY, JELLE, 1999. Bisimulations on Planet Kripke. Ph.D. thesis, Institute of Logic, Language and Computation; Universiteit van Amsterdam.

GOODMAN, NICOLAS D. 1981.

The Logic of Contradiction. Zeitschrift für Mathematische Logik und Grundlagen der Mathematik, 27(8-10), 119–126.

HALPERN, JOSEPH Y. 2001. Substantive Rationality and Backward Induction. Games and Economic Behavior, 37(2), 425–435.



CUNY

< ロ > < 同 > < 回 > < 回 >

C. Başkent

DEL			Strategies	References
	000	000	00	
00		0000	00	
00				
Thanks!				

References IV

HEIFETZ, AVIAD. 1996.

Non-well-founded Type Spaces. Games and Economic Behavior, 16, 202–217.

Hodkinson, Ian, Wolter, Frank, & Zakharyaschev, Michael. 2000.

Decidable Fragments of First-Order Temporal Logics.

Annals of Pure and Applied Logic, 106(??), 85-134.

Kremer, Philip, & Mints, Grigori. 2005.

Dynamic Topological Logic.

Annals of Pure and Applied Logic, 131(1-3), 133-58.

LAWVERE, F. WILLIAM. 1969.

Diagonal Arguments and Cartesian Closed Categories.

Pages 134-145 of: DOLD, A., & ECKMANN, B. (eds), Category Theory, Homology Theory and their Applications II. Lecture Notes in Mathematics, vol. 92. Springer.

LISMONT, LUC. 1992.

Une Classe Universalle Anti-Fondée pour les Croyances. Comptes rendus de l'Académie des sciences, Série 1, Mathématique, **315**(11), 1117–1120.



CUNY

イロト イポト イヨト イヨト

C. Başkent

DEL			Strategies	References
	000	000	00	
00		0000	00	
00				
Thanks!				

References V

MIRIMANOFF, DMITRY. 1917.

Les antimonies de Russell et de Burali-Forti et le probleme fondamental de la theorie des ensembles. L'Enseignement Mathématique, 19(1), 37–52.

MORTENSEN, CHRIS. 2000.

Topological Separation Principles and Logical Theories. Synthese, **125**(1-2), 169–178.

Moss, Lawrence S. 2009.

Non-wellfounded Set Theory. In: ZALTA, EDWARD N. (ed), The Stanford Encyclopedia of Philosophy, fall 2009 edn.

Plaza, Jan A. 1989.

Logic of Public Communication.

Pages 201–216 of: EMRICH, M. L., PFEIFER, M. S., HADZIKADIC, M., & RAS, Z. W. (eds), 4th International Symposium on Methodologies for Intelligent Systems.

PRIEST, GRAHAM. 2002.

Paraconsistent Logic.

Pages 287–393 of: GABBAY, DOV, & GUENTHNER, F. (eds), Handbook of Philosophical Logic, vol. & Kluwer.



CUNY

< < >> < </p>

C. Başkent

DEL			Strategies	References
	000	000	00	
00		0000	00	
00				
Thanks!				

References VI

RAMANUJAM, RAMASWAMY, & SIMON, SUNIL. 2008a.

Dynamic Logic on Games with Structured Strategies. Pages 49–58 of: BREWKA, GERHARD, & LANG, JÉRÔME (eds), Proceedings of the 11th International Conference on Principles of Knowledge Representation and Reasoning. KR-08.

RAMANUJAM, RAMASWAMY, & SIMON, SUNIL. 2008b.

A Logical Structure for Strategies.

Pages 183–208 of: Logic and the Foundations of Game and Decision Theory (LOFT 7). Amsterdam University Press.

STALNAKER, ROBERT. 1994.

On the Evaluation of Solution Concepts. *Theory and Decision*, **37**(1), 49–73.

STALNAKER, ROBERT. 1996.

Knowledge, Belief and Counterfactual Reasoning in Games. *Economics and Philosophy*, **12**(2), 133–163.

STALNAKER, ROBERT. 1998.

Belief Revision in Games: Forward and Backward Induction. *Mathematical Social Sciences*, **36**(1), 31–56.



CUNY

C. Başkent

DEL			Strategies	References
	000	000	00	
00		0000	00	
00				
Thanks!				

References VII

VAN BENTHEM, JOHAN. 2006.

"One is a Lonely Number": Logic and Communication. In: CHATZIDAKIS, Z., KOEFKE, P., & POHLERS, W. (eds), Logic Colloquium '02. Lecture Notes in Logic, vol. 27. Association for Symbolic Logic.

VAN BENTHEM, JOHAN. 2007.

Rational Dynamics and Epistemic Logic in Games.

International Game Theory Review, 9(1), 13-45.

VAN BENTHEM, JOHAN, & GHEERBRANT, AMELIE. 2010. Game Solution, Epistemic Dynamics and Fixed-Point Logics. Fundamenta Infomaticae, 100(1-4), 19-41.

VAN BENTHEM, JOHAN, & SARENAC, DARKO. 2004.

The Geometry of Knowledge. Pages 1–31 of: Aspects of Universal Logic. Travaux Logic, vol. 17.

VAN BENTHEM, JOHAN, VAN ELICK, JAN, & KOOI, BARTELD. 2005. Logics of Communication and Change. Tech. rept. Institute for Logic, Language and Computation.



CUNY

C. Başkent
DEL			Strategies	References
	000	000	00	
00		0000	00	
00				
Thanks!				

References VIII

VAN DITMARSCH, HANS, VAN DER HOEK, WIEBE, & KOOI, BARTELD. 2007. Dynamic Epistemic Logic. Springer.



C. Başkent

Non-Classicity in Logic and Games